



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 2072

Article Number:
ACW2072

Internal Dimensions:
157 x 82 x 41 mm

External Dimensions:
175 x 115 x 47 mm

Weight (without foam):
0,14 KG

Weight (with foam):
0,16 KG



KEY FEATURES

 Waterproof according to IP67 rating

 Dustproof & airtight

 Operational temperature range:
-10 °C to +80 °C

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150234137 - 8115150274331



Certifications / Approvals:

• IP67





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 2074

Article Number:
ACW2074

Internal Dimensions:
212 x 140 x 47 mm

External Dimensions:
230 x 175 x 53 mm

Weight (without foam):
0,26 KG

Weight (with foam):
0,28 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Operational temperature range:
-10 °C to +80 °C



Lockable with padlock



Stackable design



Colour: Black

Nato number: 8145150170381



Certifications / Approvals:

• IP67



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 2076

Article Number:
ACW2076

Internal Dimensions:
316 x 195 x 53 mm

External Dimensions:
350 x 230 x 59 mm

Weight (without foam):
0,48 KG

Weight (with foam):
0,52 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Operational temperature range:
-10 °C to +80 °C



Lockable with padlock



Stackable design



Colour: Black



Certifications / Approvals:

• IP67





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 2078

Article Number:
ACW2078

Internal Dimensions:
316 x 195 x 81 mm

External Dimensions:
350 x 230 x 86 mm

Weight (without foam):
0,54 KG

Weight (with foam):
0,59 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Operational temperature range:
-10 °C to +80 °C



Lockable with padlock



Stackable design



Colour: Black

Nato number: 8145150263996



Certifications / Approvals:

• IP67





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 2080

Article Number:
ACW2080

Internal Dimensions:
292 x 92 x 65 mm

External Dimensions:
309 x 128 x 72 mm

Weight (without foam):
0,33 KG

Weight (with foam):
0,36 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Operational temperature range:
-10 °C to +80 °C



Lockable with padlock



Stackable design



Colour: Black



Certifications / Approvals:

- IP67
- MILSTD 810G mthd 504.1





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1800

Article Number:
ACW1800

Internal Dimensions:
200 x 125 x 90 mm

External Dimensions:
223 x 172 x 102 mm

Weight (without foam):
0,61 KG

Weight (with foam):
0,65 KG



KEY FEATURES



-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1804

Article Number:
ACW1804

Internal Dimensions:
235 x 180 x 105 mm

External Dimensions:
258 x 243 x 118 mm

Weight (without foam):
0,82 KG

Weight (with foam):
0,89 KG



KEY FEATURES

 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150268159



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1808

Article Number:
ACW1808

Internal Dimensions:
235 x 180 x 156 mm

External Dimensions:
258 x 243 x 168 mm

Weight (without foam):
0,96 KG

Weight (with foam):
1,10 KG



KEY FEATURES



-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1812

Article Number:
ACW1812

Internal Dimensions:
300 x 225 x 132 mm

External Dimensions:
336 x 300 x 148 mm

Weight (without foam):
1,62 KG

Weight (with foam):
1,80 KG



KEY FEATURES

-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1816

Article Number:
ACW1816

Internal Dimensions:
380 x 270 x 115 mm

External Dimensions:
414 x 345 x 129 mm

Weight (without foam):
2,10 KG

Weight (with foam):
2,40 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1820

Article Number:
ACW1820

Internal Dimensions:
380 x 270 x 160 mm

External Dimensions:
414 x 345 x 174 mm

Weight (without foam):
2,45 KG

Weight (with foam):
2,80 KG



KEY FEATURES



 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150268159

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481



ARCTICASE

TECHNICAL DATA SHEET

Product Name:

**Arcticase 1820
UN4H2 Fire shield**

Article Number:

ACW1820

Internal Dimensions:

380 x 270 x 160 mm

External Dimensions:

414 x 345 x 174 mm

Weight (without foam):

2,45 KG

Weight (with foam):

2,80 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stackable design



Colour: Black

Nato number: 8145150268159

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1824

Article Number:
ACW1824

Internal Dimensions:
400 x 230 x 260 mm

External Dimensions:
456 x 290 x 318 mm

Weight (without foam):
2,40 KG

Weight (with foam):
3,50 KG



KEY FEATURES



 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150263993

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1828

Article Number:
ACW1828

Internal Dimensions:
426 x 290 x 159 mm

External Dimensions:
464 x 366 x 176 mm

Weight (without foam):
2,76 KG

Weight (with foam):
3,10 KG



KEY FEATURES

-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**

Nato number: 8145150151602



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1836

Article Number:
ACW1836

Internal Dimensions:
465 x 335 x 125 mm

External Dimensions:
502 x 415 x 141 mm

Weight (without foam):
2,70 KG

Weight (with foam):
3,0 KG



KEY FEATURES



 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150263999

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1840

Article Number:
ACW1840

Internal Dimensions:
465 x 335 x 220 mm

External Dimensions:
502 x 415 x 246 mm

Weight (without foam):
3,50 KG

Weight (with foam):
4,0 KG



KEY FEATURES



-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1840

Article Number:
ACW1840W

Internal Dimensions:
465 x 335 x 220 mm

External Dimensions:
502 x 415 x 267 mm

Weight (without foam):
4,50 KG

Weight (with foam):
5,10 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481



ARCTICASE

TECHNICAL DATA SHEET

Product Name:

**Arcticase 1840
UN4H2 Fire shield**

Article Number:

ACW1840

Internal Dimensions:

465 x 335 x 220 mm

External Dimensions:

502 x 415 x 246 mm

Weight:

5,97 KG



KEY FEATURES



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300
- UN 3090 – UN 3091
- UN 3480 – UN 3481



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
**Arcticase 1842
BACKPACK**

Article Number:
ACW1842C

Internal Dimensions:
485 x 357 x 201 mm

External Dimensions:
544 x 408 x 216 mm

Weight (without foam):
3,44 KG

Weight (with foam):
3,91 KG



KEY FEATURES

-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stackable design
-  **Colour: Black**



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1844

Article Number:
ACW1844

Internal Dimensions:
500 x 350 x 194 mm

External Dimensions:
555 x 428 x 211 mm

Weight (without foam):
3,90 KG

Weight (with foam):
4,40 KG



KEY FEATURES

 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150199737



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticcase 1844

Article Number:
ACW1844W

Internal Dimensions:
500 x 350 x 194 mm

External Dimensions:
555 x 445 x 258 mm

Weight (without foam):
5,10 KG

Weight (with foam):
5,60 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Nato number: 8145150199737

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1848

Article Number:
ACW1848

Internal Dimensions:
500 x 350 x 280 mm

External Dimensions:
555 x 428 x 306 mm

Weight (without foam):
4,90 KG

Weight (with foam):
5,60 KG



KEY FEATURES

 Waterproof according to IP67 rating

 Dustproof & airtight

 Built-in pressure equalisation valve

 Operational temperature range:
-51 °C to +90 °C.

 Lockable with padlock

 Stackable design

 **Colour: Black**

Nato number: 8145150197164



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticcase 1848

Article Number:
ACW1848W

Internal Dimensions:
500 x 350 x 280 mm

External Dimensions:
555 x 437 x 326 mm

Weight (without foam):
5,92 KG

Weight (with foam):
6,60 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Nato number: 8145150197164

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1852

Article Number:
ACW1852W

Internal Dimensions:
520 x 290 x 200 mm

External Dimensions:
585 x 361 x 238 mm

Weight (without foam):
5,10 KG

Weight (with foam):
5,60 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 8145150146448

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1856

Article Number:
ACW1856W

Internal Dimensions:
538 x 405 x 190 mm

External Dimensions:
604 x 473 x 225 mm

Weight (without foam):
6,40 KG

Weight (with foam):
6,94 KG



KEY FEATURES

-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**



Certifications / Approvals:

- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:

**Arcticase 1856
UN4H2 Fire shield**

Article Number:

ACW1856FSW

Internal Dimensions:

538 x 405 x 190 mm

External Dimensions:

604 x 473 x 225 mm

Weight

9,22 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticcase 1860

Article Number:
ACW1860W

Internal Dimensions:
538 x 405 x 245 mm

External Dimensions:
604 x 473 x 283 mm

Weight (without foam):
6,90 KG

Weight (with foam):
7,80 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 8145150146448

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1864

Article Number:
ACW1864W

Internal Dimensions:
615 x 615 x 360 mm

External Dimensions:
680 x 675 x 390 mm

Weight (without foam):
12,62 KG

Weight (with foam):
15,0 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1868

Article Number:
ACW1868W

Internal Dimensions:
620 x 460 x 250 mm

External Dimensions:
687 x 528 x 286 mm

Weight (without foam):
8,44 KG

Weight (with foam):
9,62 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Nato number: 8145150263997

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300

TECHNICAL DATA SHEET



ARCTICASE

Product Name:
Arcticase 1872

Article Number:
ACW1872W

Internal Dimensions:
620 x 460 x 340 mm

External Dimensions:
687 x 528 x 376 mm

Weight (without foam):
9,40 KG

Weight (with foam):
11,0 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 5140150181096



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1874

Article Number:
ACW1874

Internal Dimensions:
630 x 335 x 335 mm

External Dimensions:
702 x 406 x 360 mm

Weight (without foam):
7,20 KG

Weight (with foam):
8,30 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1876

Article Number:
ACW1876

Internal Dimensions:
750 x 480 x 280 mm

External Dimensions:
816 x 540 x 306 mm

Weight (without foam):
9,30 KG

Weight (with foam):
11,04 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 5140150181095



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1880

Article Number:
ACW1880

Internal Dimensions:
750 x 480 x 400 mm

External Dimensions:
816 x 540 x 426 mm

Weight (without foam):
10,56 KG

Weight (with foam):
13,10 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 8145150258654

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1883

Article Number:
ACW1883

Internal Dimensions:
820 x 600 x 450 mm

External Dimensions:
880 x 660 x 483 mm

Weight (without foam):
14,78 KG

Weight (with foam):
18,42 KG



KEY FEATURES



-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1886

Article Number:
ACW1886

Internal Dimensions:
800 x 370 x 140 mm

External Dimensions:
850 x 440 x 158 mm

Weight (without foam):
5,0 KG

Weight (with foam):
5,74 KG



KEY FEATURES



-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1891

Article Number:
ACW1891

Internal Dimensions:
1100 x 370 x 140 mm

External Dimensions:
1177 x 450 x 158 mm

Weight (without foam):
7,80 KG

Weight (with foam):
8,82 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black

Nato number: 1005150145451

Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1
- ATA 300



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1894

Article Number:
ACW1894

Internal Dimensions:
1100 x 370 x 330 mm

External Dimensions:
1177 x 451 x 348 mm

Weight (without foam):
10,90 KG

Weight (with foam):
13,20 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1899

Article Number:
ACW1899

Internal Dimensions:
1350 x 370 x 150 mm

External Dimensions:
1420 x 440 x 168 mm

Weight (without foam):
8,30 KG

Weight (with foam):
9,60 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1922

Article Number:
ACW1922EHL

Internal Dimensions:
1090 x 680 x 280 mm

External Dimensions:
1178 x 780 x 330 mm

Weight:
17,50 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticcase 1932

Article Number:
ACW1932

Internal Dimensions:
1090 x 680 x 410 mm

External Dimensions:
1178 x 780 x 447 mm

Weight:
19,50 KG



KEY FEATURES

-  Supplied with recessed wheels
-  Waterproof according to IP67 rating
-  Dustproof & airtight
-  Built-in pressure equalisation valve
-  Operational temperature range:
-51 °C to +90 °C.
-  Lockable with padlock
-  Stainless steel hardware (metal parts) that are acid resistant
-  Stackable design
-  **Colour: Black**



Certifications / Approvals:

- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1





ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1952

Article Number:
ACW1952EHL

Internal Dimensions:
1090 x 680 x 510 mm

External Dimensions:
1178 x 780 x 564 mm

Weight:
23,0 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1



ARCTICASE

TECHNICAL DATA SHEET

Product Name:
Arcticase 1962

Article Number:
ACW1962ERL

Internal Dimensions:
1090 x 680 x 640 mm

External Dimensions:
1178 x 780 x 702 mm

Weight:
24,80 KG



KEY FEATURES



Supplied with recessed wheels



Waterproof according to IP67 rating



Dustproof & airtight



Built-in pressure equalisation valve



Operational temperature range:
-51 °C to +90 °C.



Lockable with padlock



Stainless steel hardware (metal parts) that are acid resistant



Stackable design



Colour: Black



Certifications / Approvals:



- IP67
- STANAG 4280
- DEF STAN 81-41
- MILSTD 810H
- MILSTD 810G mthd 504.1